



Дисковые заслонки с уплотнением металл-металл (трёхэксцентриковые)



Габаритные размеры по JIS&ANSI









■ Со штурвалом по JIS10K/ANSI #150

| SIZE mm | L1 | L2 | L3 | Dn | d1 | H | Ho | A | B | Do | Weight(Kg) | | |
|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|-----|-----|
| | | | | | | | | | | | L1 | L2 | L3 |
| 80 | 50 | 114 | 180 | 92 | 85 | 186 | 98 | 195 | 45 | 152 | 22 | 30 | 27 |
| 100 | 56 | 127 | 190 | 114 | 105 | 217 | 112 | 195 | 45 | 152 | 29 | 38 | 32 |
| 125 | 64 | 140 | 200 | 138 | 130 | 233 | 125 | 195 | 45 | 152 | 31 | 45 | 39 |
| 150 | 70 | 140 | 210 | 159 | 152 | 307 | 138 | 325 | 66 | 305 | 32 | 48 | 40 |
| 200 | 71 | 152 | 230 | 219 | 207 | 341 | 200 | 325 | 66 | 305 | 62 | 90 | 77 |
| 250 | 76 | 165 | 250 | 274 | 258 | 390 | 231 | 315 | 78 | 305 | 93 | 114 | 96 |
| 300 | 83 | 178 | 270 | 325 | 313 | 433 | 261 | 281 | 120 | 406 | 99 | 148 | 125 |
| 350 | 92 | 190 | 290 | 377 | 365 | 470 | 298 | 281 | 120 | 406 | 131 | 183 | 155 |
| 400 | 102 | 216 | 310 | 426 | 414 | 533 | 331 | 327 | 166 | 300 | 146 | 215 | 183 |
| 450 | 114 | 222 | 330 | 489 | 466 | 564 | 369 | 327 | 166 | 300 | 180 | 266 | 226 |
| 500 | 127 | 229 | 350 | 529 | 517 | 598 | 404 | 327 | 166 | 300 | 229 | 337 | 286 |
| 600 | 154 | 267 | 390 | 630 | 614 | 702 | 473 | 502 | 216 | 400 | 347 | 511 | 434 |

■ Со штурвалом по JIS20K/ANSI #300

| SIZE mm | L1 | L2 | L3 | Dn | d1 | H | Ho | A | B | Do | Weight(Kg) | | |
|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|-----|-----|
| | | | | | | | | | | | L1 | L2 | L3 |
| 80 | 64 | 180 | 180 | 92 | 85 | 186 | 98 | 195 | 45 | 152 | 24 | 32 | 27 |
| 100 | 64 | 190 | 190 | 114 | 105 | 217 | 112 | 195 | 45 | 152 | 29 | 40 | 34 |
| 125 | 70 | 200 | 200 | 138 | 130 | 233 | 125 | 195 | 45 | 152 | 36 | 48 | 41 |
| 150 | 76 | 210 | 210 | 159 | 152 | 307 | 138 | 325 | 66 | 305 | 70 | 51 | 43 |
| 200 | 89 | 230 | 230 | 219 | 207 | 341 | 200 | 325 | 66 | 305 | 102 | 95 | 81 |
| 250 | 114 | 250 | 250 | 284 | 258 | 390 | 231 | 315 | 78 | 305 | 112 | 120 | 102 |
| 300 | 114 | 270 | 270 | 325 | 313 | 433 | 261 | 281 | 120 | 406 | 142 | 156 | 132 |
| 350 | 127 | 290 | 290 | 377 | 365 | 470 | 298 | 281 | 120 | 406 | 162 | 193 | 164 |
| 400 | 140 | 310 | 310 | 426 | 414 | 533 | 331 | 327 | 166 | 300 | 198 | 227 | 193 |
| 450 | 152 | 330 | 330 | 489 | 466 | 564 | 369 | 327 | 166 | 300 | 251 | 280 | 238 |
| 500 | 152 | 350 | 350 | 529 | 517 | 598 | 404 | 327 | 166 | 300 | 389 | 355 | 330 |
| 600 | 178 | 390 | 390 | 630 | 614 | 702 | 473 | 502 | 216 | 400 | 654 | 538 | 460 |

Графики Температура-Давление



| MATERIALS | | OPERATION TEMPERATURE (°C) | | | | | | | | | | | | | | | |
|---------------------------|----------|----------------------------|------|------|------|------|------|------|------|------|------|------|------|-----|--|--|--|
| WCB/SCPH2 20, 25 | | 250 | 300 | 350 | 400 | 425 | 435 | 445 | 455 | | | | | | | | |
| 304/SCS13A 0Cr18Ni9 | | 325 | 390 | 430 | 450 | 470 | 490 | 500 | 510 | 520 | 530 | 540 | 550 | | | | |
| 316/SCS14A 0Cr18Ni12Mo2Ti | | 300 | 400 | 480 | 520 | 560 | 590 | 610 | 630 | 640 | 660 | 675 | 690 | 700 | | | |
| BAR | ANSI | OPERATION PRESSURE (bar) | | | | | | | | | | | | | | | |
| 10 | | 9.0 | 8.0 | 7.0 | 6.4 | 5.6 | 5.0 | 7.0 | 4.0 | 3.6 | 3.2 | 2.8 | 2.5 | 2.2 | | | |
| 16 | Class150 | 14.0 | 12.5 | 11.0 | 10.0 | 9.0 | 8.0 | 11.0 | 6.4 | 5.6 | 5.0 | 4.5 | 4.0 | 3.6 | | | |
| 25 | | 22.0 | 20.0 | 18.0 | 16.0 | 14.0 | 12.5 | 18.0 | 10.0 | 9.0 | 8.0 | 7.0 | 6.4 | 5.6 | | | |
| 40 | Class300 | 36.0 | 32.0 | 28.0 | 25.0 | 22.0 | 20.0 | 28.0 | 16.0 | 14.0 | 12.5 | 11.0 | 10.0 | 9.0 | | | |

Система кодирования

| | | | | | | | |
|-------|------------|---------------------------------------|--|---|---|--|---|
| DAP - | 300 | E | 2 | W | 1 | G | |
| | SIZE(mm) | BODY D-SCPH2 E-SCS13 F-SCS14 | SEAT 1-SS304 2-SS304+ STELLITED | CONNECTION W-WAFER F-FLANGE B-BUTTWELD | RATING 1-JIS10K 2-JIS20K 3-ANSI150 | 4-ANSI300 5-PN10 6-PN16 7-SPECIAL | OPERATING G-GEAR C-CYLINDER E-ELECTRIC B-BARESTEM |